

SPARTAN ARMOR

MADE IN TUCSON, ARIZONA



SPARTAN™ OMEGA™ AR500 SHOOTERS CUT

RF1 - LEVEL III STEEL BODY ARMOR

The Spartan Armor Systems® Spartan™ Omega™ AR500 steel body armor is crafted from 0.25" thick lab-certified AR500 ballistic-grade steel that is sourced from USA steel mills. These plates offer Level III rifle protection meeting NIJ Standard-0101.06.



FEATURES

- NIJ Standard: Meets NIJ 0101.06 Level III Standards
- Protection against rifle rounds
- Rated to stop rifle threats up to 7.62x51mm (M80 Ball)
- Laser cut precision: protects ballistic integrity of the steel
- Full Coat Encapsaloc® coating option provides superior fragmentation and spall mitigation, enhancing user safety
- Base Coat Encapsaloc® coating only provides corrosion protection
- 5-year warranty, 20-year shelf life

BALLISTIC PERFORMANCE

- 7.62x51 M80 Ball
- 5.56x45 M193
- 7.62x39
- .44 MAG
- .357 MAG
- .38 Special
- .45 ACP
- 9mm
- .357 SIG
- .40 S&W



SKU SA-500



10" x 12" Single Curve
Shooters Cut
BASE COAT: SA-500-10 X 12 SH SC BC
FULL COAT: SA-500-10 X 12 SH SC FC



10" x 12" Advanced Triple Curve®
(ATC®) Shooters Cut
BASE COAT: SA-500-10 X 12 SH ATC BC
FULL COAT: SA-500-10 X 12 SH ATC FC



11" x 14" Single Curve
Shooters Cut
BASE COAT: SA-500-11 X 14 SH SC BC
FULL COAT: SA-500-11 X 14 SH SC FC




11" x 14" Advanced Triple Curve®
(ATC®) Shooters Cut
BASE COAT: SA-500-11 X 14 SH ATC BC
FULL COAT: SA-500-11 X 14 SH ATC FC

**SPARTAN™ OMEGA™ AR500 - LEVEL III ARMOR
SINGLE CURVE SHOOTERS CUT**

**Note: The specifications for Single Curve are the same for Advanced Triple Curve® (ATC®) - Same thickness for side plates and ESAPI plate*

Plate Size	SKU	Weight	Thickness
10" x 12" Base Coat	SA-500-10 X 12 SH SC BC	8.36 lbs (3.79 kg)	0.25" (6.35mm)
10" x 12" Full Coat*	SA-500-10 X 12 SH SC FC	9.31 lbs (4.22 kg)	0.5" (12.7-15.2mm)
11" x 14" Base Coat	SA-500-11 X 14 SH SC BC	10.7 lbs (4.85 kg)	0.25" (6.35mm)
11"x 14" Full Coat*	SA-500-11 X 14 SH SC FC	12.0 lbs (5.44 kg)	0.5" (12.7-15.2mm)





SPARTAN ARMOR

MADE IN TUCSON, ARIZONA



SPARTAN™ OMEGA™ AR500 HIGH MOBILITY CUT

RF1 - LEVEL III STEEL BODY ARMOR

The Spartan Armor Systems® Spartan™ Omega™ AR500 steel body armor is crafted from 0.25" thick lab-certified AR500 ballistic-grade steel that is sourced from USA steel mills. These plates offer Level III rifle protection meeting NIJ Standard-0101.06.



FEATURES

- NIJ Standard: Meets NIJ 0101.06 Level III Standards
- Protection against rifle rounds
- Rated to stop rifle threats up to 7.62x51mm (M80 Ball)
- Laser cut precision: protects ballistic integrity of the steel
- Full Coat Encapsaloc® coating option provides superior fragmentation and spall mitigation, enhancing user safety
- Base Coat Encapsaloc® coating only provides corrosion protection
- 5-year warranty, 20-year shelf life

BALLISTIC PERFORMANCE

- 7.62x51 M80 Ball
- 5.56x45 M193
- 7.62x39
- .44 MAG
- .357 MAG
- .38 Special
- .45 ACP
- 9mm
- .357 SIG
- .40 S&W



SKU SA-500



10" x 12" Single Curve
High Mobility Cut
BASE COAT: SA-500-10 X 12 SW SC BC
FULL COAT: SA-500-10 X 12 SW SC FC



10" x 12" Advanced Triple Curve®
(ATC®) High Mobility Cut
BASE COAT: SA-500-10 X 12 SW ATC BC
FULL COAT: SA-500-10 X 12 SW ATC FC

**SPARTAN™ OMEGA™ AR500 - LEVEL III ARMOR
SINGLE CURVE HIGH MOBILITY**

**Note: The specifications for Single Curve are the same for Advanced Triple Curve® (ATC®) - Same thickness for side plates and ESAPI plate*

Plate Size	SKU	Weight	Thickness
10" x 12" Base Coat	SA-500-10 X 12 SW SC BC	6.9 lbs (3.12 kg)	0.25" (6.35mm)
10" x 12" Full Coat*	SA-500-10 X 12 SW SC FC	7.68 lbs (3.48 kg)	0.5" (12.7-15.2mm)

